



Shelter Site Security Solutions

Access control and security solutions for your remote equipment shelters and buildings. The SES mobile application, enterprise software, locking hardware, and military-grade Bluetooth® encryption provide efficient, secure, and authorized access to geographically dispersed sites across your network and critical infrastructure.

High Security Flexible Hardware

AFFORDABLE HIGH SECURITY SHELTER AND BUILDING TYPES

- Lever locks
- Push to exit device (crash bar)
- Physical key override
- Anti-pry bracket protected
- Single and triple-point locking mechanisms
- Latch guards & hinge protectors
- ADA, Fire, UL, FEMA and ANSI compliant

SUPPORT FOR ALL SHELTER AND BUILDING HARDWARE

- Stand-alone or in-building
- Secures any number of outward or inward swinging doors
- Integrates with commercial electronic locking hardware



2 & 4 Channel Surface Mounted Controllers



High Security Electrified Lever



High Security Square Bolt with Push Bar

Key Features

- Easy to use smartphone application
- Identity and Access Software (IAS) deployable on-premise or in cloud
- Robust UL294 & NEBS Certified access control hardware
- Flexible and scalable platform
- Integrates with customer data management systems

Key Benefits

- Site history & data analytics
- Reduce field service cost
- Decrease theft & vandalism
- Eliminate burdensome key management
- Prevents false alarms



Access Control Unit (ACU)

Physical	Surface Mount: <ul style="list-style-type: none">• 2 Channel L5.71", W3.60", H2.17"
Environmental	Operating Temperature: -40°C to 70°C Enclosures NEMA4x Rated
Power	Input <ul style="list-style-type: none">• Supports 24V & -48V• Voltage Range 18V to 57V Output <ul style="list-style-type: none">• 0 to 24V Internal Battery Backup
Certifications	UL294 Level III (US & Canada): 7th Edition, 2018 MET-C LISTED - FILE E114590 CAN/ULC-60839-11-1:2016 & UL/CSA 60950-1-Second Edition Telecordia NEBS GR-3108-CORE, Issue 3, April 2013 Telecordia NEBS GR-1089-CORE, Issue 6, May 2011, Section 1, 2, 3
Regulatory	BlueTooth® FCC ID: QOQBLE112 United States (FCC) Complies with Part 15 of the FCC Rules Canada (IC) Complies with Industry Canada license-exempt RSS Standards

Door Locking Hardware

Lock Types	Cylindrical Lever Locks <ul style="list-style-type: none">• Fail-Secure• Patented Free-Wheeling Clutch Square Bolt Rim Panic Exit Devices <ul style="list-style-type: none">• Fail-Secure• SquareBolt® Technology• 1 & 3 Point Latching• Motorized Electric Latch Retraction (MELR) Door Kit Options Medeco X4 7-Pin SFIC Core <ul style="list-style-type: none">• Dedicated No-Copy Keying Options• Anti-Drill Cylinder
Certifications	ANSI Grade 1 ADA Compliant ANSI A117.1 Accessibility Code ANSI/BHMA: A156.115, A156.1151-W, A156.2 & A156.3 UL FVSR/FVSR7, GXHX/GXHX7, 3 Hour Fire FEMA 320 Safe Room Hurricane and Tornado Rated

Security Enhancement Systems, LLC

833-737-5625 | sales@securityesys.com | www.securityesys.com
SES - R2507007

